

ASL-AP0100

Automatic Placket Opener

自动门襟车




产品特点

FEATURES

大小可调的吸风功能，适合不同厚度的布料，防止布料移位错层。

Adjustable suction motor is suitable for different thickness of fabric, and prevent misalignment between layers.




冷刀切适合任何颜色布料，无刺激气味更环保、健康。

单刀、双刀可选。

Cold cutting is suitable for fabrics of any color, with no irritating odor, making it more eco-friendly and healthier. Available in single-knife or double-knife options.

自动送布，速度更快。

Automatic fabric feeding improves efficiency.



自动收料夹具
Auto collecting device

铺布和缝制过程均使用激光定位。
The fabric spreading and sewing processes both use laser positioning.

- 1 铺布和缝制过程均使用激光定位，加上自动送料功能，三重保证车缝精度。
Laser positioning for both fabric spreading and sewing process, with additional auto feeding function, all these can achieve high sewing precision.
- 2 冷刀切割替代激光切割，白色布料不会发黄，也不会散发刺激气味，更加环保。
Cold cutting replaces laser cutting. White fabrics will not turn yellow and no irritating odor is released, making it more environmentally friendly.
- 3 单刀或双刀可选。
Available in single-knife or double-knife options.
- 4 可调负压吸风定位装置，适合不同厚度的布料，并能防止布料移位或上下错层。
Equipped with adjustable suction motor, suitable for different thickness of fabric. And ironing is not required before sewing and also can prevent misalignment between layers.
- 5 压脚宽窄可调，车缝宽度和长度可调，切割长度可调，适合不同尺寸的衣服。车缝时布料张紧度可调，令布料更平整，缝制更平滑。
Programmable center knife and foot lift is suitable for different size of placket.
- 6 参考工作效率：5 个 / 分钟 / 1 台机 / 人，可同时操作 2 台机。
6000 个 / 10 小时 / 2 台 / 人
Reference production speed: 5pcs/min/1 machine/ operator.
1 operator can run 2 machines at the same time.
6000pcs placket/ 10 hrs/ 2 machines/ operator.

效 果 EFFECT



规格

SPECIFICATIONS

型号 Model	ASL-AP0100
功率 Power	1500W
电压 Voltage	220V
工作气压 Air Pressure	0.5-0.6Mpa
真空电机功率 Air Suction Motor Power	750W
缝纫最高速度 Max Sewing Speed	3500sti/min
缝制针距 Stitch Length	1-5mm
机针型号 Needle Type	DB*1
净重 / 毛重 N.W / G.W	370kg / 488kg
机器尺寸 Machine Size	(W)1680 × (D)1410 × (H)1320mm
装箱尺寸 Packing Size	(W)1800 × (D)1450 × (H)1520mm



高林股份有限公司
KAULIN MFG. CO., LTD.

由於對產品的改良及更新，本產品型錄中之產品規格及外觀的修改恕不事先通知！
The specification and/or appearances of the equipment described in this catalogue are subject to change without previous notice because of modification.

SEP. 2025